ARCADIS Design & Consultancy for natural and built assets

SOUTH CAROLINA PORTS AUTHORITY

SOUTH CAROLINA PORTS

Continuous Air Monitoring Station for the Union Pier Terminal

Q1 2017 Quarterly Report and Annual Summary

April 2017

,

SOUTH CAROLINA PORTS AUTHORITY - CONTINUOUS AIR MONITORING STATION FOR THE UNION PIER TERMINAL

Q1 2017 Quarterly Report and Annual Summary

Prepared for:

South Carolina Ports Authority

176 Concord Street

Charleston

South Carolina 29401

Prepared by:

Arcadis U.S., Inc.

4915 Prospectus Drive

Suite F

Durham

North Carolina 27713

Tel 919 544 4535

Fax 919 544 5690

Our Ref.:
RN006310

Date:
April 2017

CONTENTS

TABLES

FIGURES

1 EXECUTIVE SUMMARY

Arcadis was contracted in late October 2014 to provide Continuous Air Monitoring Services to the South Carolina State Ports Authority (SCSPA) at the Union Pier Terminal in Charleston, SC. Arcadis has followed through on the planned schedule and activities since that award. The major accomplishments were to complete the Quality Assurance Project Plan (QAPP), purchase the instruments, complete the site setup, and then to begin acquiring data. Installation was completed in mid-February 2015 and data acquisition began on February 25. This report is the 9th quarterly data report (first quarterly report in year three of operations) and presents the data summaries requested by SCSPA and described in the work scope. This report encompasses a period corresponding to data taken during the period from January 1, 2017 through March 31, 2017.

2 PROJECT DESCRIPTION

SCSPA requested a system to provide ambient air quality data including particulate matter less than 2.5 microns ($PM_{2.5}$), SO_2, and NO_2 for a period of 5 years at the Union Pier Terminal of the port of Charleston. Arcadis will maintain the monitoring instruments, stock consumables such as filters and calibration gases, and order spare parts such that downtime will be minimized. Arcadis has established standard operating procedures to perform daily downloads and to provide Level 1 data validation for the resulting data. This monitoring project setup was relatively straightforward and has proven to be reliable and is generating valid high quality data suitable for use in dispersion modeling or other potential purposes.

The QAP is updated periodically to reflect improvements to the basic operating procedures or to document changes in the air quality standards. This QAP is written consistent with the current ambient air quality standards for PM, NO_X and SO_2 as defined by the U.S. Environmental Protection Agency.

2.1 Quarterly Results

The 24-hr daily averages for $PM_{2.5}$, NO, NO_2, NO_X, and SO_2 and the maximum daily values for NO_2 (1-hr average) and SO_2 (1-hr and 3-hr average) for this period are shown in Table 2-1. Quarterly statistics showing averages, minimums and maximums for all parameters are summarized in Table 2-2, with the corresponding NAAQS limits shown in Table 2-3. 24-hr averages for all constituents are also shown graphically in Figure 2-1. Maximum 1-hr averages for NO_2 and SO_2 are shown in Figure 2-2. Statistics are broken down by months and summarized in Table 2-4.

Statistics for the second monitoring year are broken down by months and summarized in Table 2-4. Annual summaries are graphed in Figures 2-3 and 2-4 showing the monthly averages for all constituents and the daily maximum 1-hr averages for NO_2 and SO_2 averaged across the respective month.

Table 2-1. 24-Hour Averages and daily maximums

24-hour Averages						Daily Max 1-hr Avg.		Daily Max 3-hr Avg.
Date	$PM_{2.5}$ ($\mu g/m^3$)	NO (ppb)	NO_2 (ppb)	NO_X (ppb)	SO_2 (ppb)	NO_2 (ppb)	SO_2 (ppb)	SO_2 (ppb)
1/1/17	17.18	0.84	7.46	8.30	0.17	22.12	0.25	0.22
1/2/17	7.96	0.45	3.33	3.76	0.14	8.52	0.24	0.20
1/3/17	5.13	0.96	2.97	3.79	0.09	6.30	0.13	0.11
1/4/17	7.11	1.15	5.65	6.76	0.12	15.17	0.37	0.27
1/5/17	5.50	1.04	7.18	8.18	0.21	19.42	0.32	0.31
1/6/17	13.85	3.06	10.07	13.07	0.43	21.65	1.95	1.61
1/7/17	7.72	0.69	4.66	5.33	0.30	6.72	0.69	0.57
1/8/17	7.31	0.56	4.83	5.34	1.43	9.43	3.60	3.37
1/9/17	7.43	0.73	3.16	3.85	0.67	7.01	1.72	1.59

24-hour Averages						Daily Max 1-hr Avg.		Daily Max 3-hr Avg.
Date	$PM_{2.5}$ ($\mu g/m^3$)	NO (ppb)	NO_2 (ppb)	NO_X (ppb)	SO_2 (ppb)	NO_2 (ppb)	SO_2 (ppb)	SO_2 (ppb)
1/10/17	8.35	5.17	9.54	14.69	0.38	23.08	1.11	0.88
1/11/17	5.53	7.92	9.47	17.39	0.25	26.23	0.67	0.54
1/12/17	4.68	5.41	7.64	13.02	0.19	18.41	0.36	0.31
1/13/17	8.10	2.47	9.18	11.59	0.23	18.25	0.54	0.45
1/14/17	12.35	3.08	7.48	10.55	0.18	23.90	0.34	0.29
1/15/17	11.44	1.61	6.45	8.04	0.22	17.27	0.50	0.44
1/16/17	8.92	1.13	4.59	5.68	0.13	9.15	0.18	0.16
1/17/17	9.54	5.48	7.87	13.29	0.24	15.71	0.73	0.61
1/18/17	10.49	3.36	6.35	9.50	0.21	13.50	0.45	0.34
1/19/17	9.23	1.99	6.02	7.96	0.15	19.04	0.25	0.21
1/20/17	7.09	0.78	4.42	5.09	0.16	8.19	0.31	0.25
1/21/17	6.50	0.34	2.88	3.16	0.11	6.41	0.15	0.14
1/22/17	5.07	0.21	2.60	2.71	0.09	13.57	0.13	0.11
1/23/17	5.29	0.81	3.69	4.37	0.11	7.46	0.20	0.14
1/24/17	8.06	1.02	4.86	5.81	0.15	10.89	0.23	0.21
1/25/17	9.96	2.10	5.79	7.79	0.27	14.14	0.72	0.49
1/26/17	6.09	0.62	3.52	4.05	0.16	8.71	0.25	0.21
1/27/17	5.08	1.30	4.82	5.93	0.18	10.05	0.24	0.23
1/28/17	6.85	0.97	4.05	4.96	0.22	6.76	0.32	0.28
1/29/17	7.61	0.37	3.47	3.83	0.29	8.48	0.39	0.37
1/30/17	7.21	1.74	6.14	7.71	0.23	13.43	0.28	0.27
1/31/17	14.39	0.71	5.05	5.67	0.54	10.54	1.62	1.19
2/1/17	9.48	1.04	3.97	4.94	0.29	9.55	0.61	0.52
2/2/17	9.74	1.12	4.38	5.44	0.25	10.05	0.46	0.40
2/3/17	16.60	1.24	4.75	5.92	0.46	11.53	0.78	0.69
2/4/17	6.23	0.97	2.59	3.54	0.60	6.63	1.04	0.80
2/5/17	14.37	0.94	5.44	6.38	1.07	9.64	3.32	2.40
2/6/17	21.24	2.91	6.74	9.57	0.87	15.66	4.08	2.47
2/7/17	15.01	1.04	6.37	7.40	0.39	11.10	0.53	0.41
2/8/17	^	^	^	^	^	^	^	^
2/9/17	^	^	^	^	^	^	^	^
2/10/17	^	^	^	^	^	^	^	^
2/11/17	^	^	^	^	^	^	^	^
2/12/17	^	^	^	^	^	^	^	^
2/13/17	7.82	0.99	4.64	5.42	1.32	11.54	1.94	1.67
2/14/17	7.47	4.71	6.13	10.76	0.16	18.33	1.04	0.14

24-hour Averages						Daily Max 1-hr Avg.		Daily Max 3-hr Avg.
Date	$PM_{2.5}$ ($\mu g/m^3$)	NO (ppb)	NO_2 (ppb)	NO_X (ppb)	SO_2 (ppb)	NO_2 (ppb)	SO_2 (ppb)	SO_2 (ppb)
2/15/17	11.32	0.75	3.93	4.58	0.03	10.95	0.05	0.04
2/16/17	10.30	5.55	7.56	13.06	0.09	11.87	0.42	0.18
2/17/17	13.04	2.13	8.11	10.14	0.16	18.18	0.44	0.33
2/18/17	23.30	3.30	9.61	12.73	0.17	19.16	0.49	0.40
2/19/17	23.16	0.64	7.43	8.06	0.09	19.76	0.29	0.19
2/20/17	16.44	1.05	8.66	9.65	0.76	21.00	1.42	1.30
2/21/17	8.40	0.47	2.94	3.38	0.27	10.26	0.63	0.31
2/22/17	6.24	0.91	2.49	3.36	0.21	7.82	0.31	0.27
2/23/17	6.31	0.71	3.26	3.94	0.20	15.55	0.26	0.23
2/24/17	8.23	3.78	7.06	10.79	0.28	23.88	0.74	0.63
2/25/17	9.60	0.40	2.61	2.99	0.09	6.05	0.20	0.17
2/26/17	7.43	0.59	3.24	3.78	0.27	17.27	1.38	0.69
2/27/17	6.89	17.01	8.92	25.87	4.04	41.08	50.88	29.96
2/28/17	6.46	1.28	2.41	3.55	0.06	7.76	0.09	0.07
3/1/17	9.11	0.40	0.60	0.93	0.06	2.24	0.11	0.10
3/2/17	10.37	0.99	8.75	9.72	0.20	25.55	0.74	0.51
3/3/17	9.10	2.00	10.79	12.75	0.43	25.61	1.88	1.08
3/4/17	6.49	0.28	3.06	3.28	0.14	6.76	0.27	0.23
3/5/17	12.30	11.73	13.41	25.04	0.25	28.79	0.70	0.49
3/6/17	7.78	0.11	2.92	2.98	0.10	6.07	0.15	0.14
3/7/17	6.25	0.16	2.27	2.38	0.08	4.40	0.14	0.10
3/8/17	9.60	0.66	5.07	5.68	0.10	16.12	0.26	0.21
3/9/17	12.50	3.19	10.72	13.78	0.18	25.92	0.52	0.38
3/10/17	10.40	1.36	5.46	6.72	0.12	8.38	0.38	0.26
3/11/17	4.48	0.11	2.76	2.82	0.11	7.08	0.18	0.14
3/12/17	7.32	0.33	2.79	3.09	0.08	6.26	0.17	0.14
3/13/17	8.58	1.20	6.04	7.23	0.08	8.57	0.16	0.14
3/14/17	6.19	1.00	4.14	5.11	0.12	7.61	0.27	0.20
3/15/17	8.32	1.53	5.69	7.12	0.09	12.92	0.14	0.11
3/16/17	11.83	1.90	9.90	11.74	0.69	26.07	2.35	1.72
3/17/17	21.49	7.94	14.69	22.62	0.40	38.17	1.98	1.29
3/18/17	14.09	0.57	4.38	4.90	0.24	7.58	0.65	0.46
3/19/17	6.53	0.78	4.35	5.06	1.23	15.03	2.72	1.77
3/20/17	10.64	5.23	10.06	15.22	1.51	25.85	8.16	4.63
3/21/17	13.19	0.57	3.95	4.44	1.16	8.62	1.84	1.79
3/22/17	13.10	0.81	4.38	5.10	0.89	10.08	1.16	1.04

24-hour Averages						Daily Max 1-hr Avg.		Daily Max 3-hr Avg.
Date	$PM_{2.5}$ ($\mu g/m^3$)	NO (ppb)	NO_2 (ppb)	NO_X (ppb)	SO_2 (ppb)	NO_2 (ppb)	SO_2 (ppb)	SO_2 (ppb)
3/23/17	7.55	0.50	2.58	2.99	0.36	11.46	0.89	0.36
3/24/17	5.51	7.02	6.69	13.32	0.48	25.97	2.47	1.38
3/25/17	*	0.57	4.79	5.29	0.27	13.22	0.35	0.32
3/26/17	*	0.26	2.59	2.76	0.25	11.24	0.34	0.30
3/27/17	*	0.32	2.73	2.96	0.23	9.59	0.30	0.27
3/28/17	*	0.93	3.01	3.70	0.32	6.50	0.66	0.61
3/29/17	*	8.24	8.27	16.25	0.62	31.44	4.91	2.44
3/30/17	*	0.87	2.62	3.36	0.18	10.65	0.24	0.22
3/31/17	*	0.96	3.43	4.18	0.26	8.45	0.41	0.40

^ Data logger failure

* Pump failure.

Table 2-2. Quarterly Statistics

24-hour Averages						Daily Max 1-hr Avg.		Daily Max 3-hr Avg.
Date	$PM_{2.5}$ ($\mu g/m^3$)	NO (ppb)	NO_2 (ppb)	NO_X (ppb)	SO_2 (ppb)	NO_2 (ppb)	SO_2 (ppb)	SO_2 (ppb)
Average	9.68	2.05	5.54	7.52	0.37	14.19	1.48	0.99
Minimum	4.48	0.11	0.60	0.93	0.03	2.24	0.05	0.04
Maximum	23.30	17.01	14.69	25.87	4.04	41.08	50.88	29.96

Table 2-3. National Ambient Air Quality Standards

Pollutant	Primary/ Secondary	Averaging Time	Level	Form
NO_2	Primary	1-hour	100 ppb	98th Percentile, averaged over 3 years
	Primary and Secondary	Annual	53 ppb (1)	Annual Mean
SO_2	Primary	1-hour	75 ppb (2)	99th Percentile of 1-hour daily maximum concentrations, averaged over 3 years
	Secondary	3-hour	0.5 ppm	Not to be exceeded more than once per year
$PM_{2.5}$	Primary	Annual	12 µg/m^3	Annual mean, averaged over 3 years
	Secondary	Annual	15 µg/m^3	Annual mean, averaged over 3 years
	Primary and Secondary	24-hour	35 µg/m^3	98th Percentile, averaged over 3 years

(1) The official level of the annual NO2 standard is 0.053 ppm, equal to 53 ppb, which is shown here for the purpose of clearer comparison to the 1-hour standard.

(2) Final rule signed June 2, 2010. The 1971 annual and 24-hour SO2 standards were revoked in that same rulemaking. However, these standards remain in effect until one year after an area is designated for the 2010 standard, except in areas designated nonattainment for the 1971 standards, where the 1971 standards remain in effect until implementation plans to attain or maintain the 2010 standard are approved.



Figure 2-1. 24-hour Averages



Figure 2-2. Max 1-hour Averages

Table 2-4. Monthly Statistics for All Four Quarters of the Second Monitoring Year

Monthly Averages						Monthly Daily Max 1-hr Avg.		Daily Max 3-hr Avg.
Month	$PM_{2.5}$ ($\mu g/m^3$)	NO (ppb)	NO_2 (ppb)	NO_X (ppb)	SO_2 (ppb)	NO_2 (ppb)	SO_2 (ppb)	SO_2 (ppb)
4/16	8.91	3.55	5.04	8.45	0.28	14.35	0.62	0.46
5/16	8.45	1.76	3.60	5.19	0.27	9.69	0.73	0.51
6/16	9.79	1.04	2.80	3.65	0.43	8.48	0.88	0.70
7/16	9.82	1.26	2.92	3.99	0.17	7.66	0.40	0.29
8/16	6.42	2.02	2.78	4.70	0.25	8.25	0.41	0.34
9/16	7.52	1.59	3.43	4.97	0.39	8.85	0.70	0.56
10/16	7.68	3.50	6.03	9.46	0.38	16.85	0.83	0.58
11/16	16.63	5.61	7.93	13.35	0.40	20.86	1.02	0.73
12/16	9.91	2.55	6.87	9.39	0.33	14.69	0.91	0.63
1/17	8.29	1.87	5.65	7.46	0.27	13.53	0.62	0.53
2/17	11.53	2.33	5.36	7.62	0.53	14.55	3.10	1.93
3/17	9.70	2.02	5.58	7.50	0.36	14.59	1.15	0.75



Figure 2-3. Monthly Averages



Figure 2-4. Monthly Max 1-hour Averages

3 QUALITY ASSURANCE/QUALITY CONTROL

QA/QC procedures applied to this project are described in a QAPP titled *South Carolina State Ports Authority–Continuous Air Monitoring Station for the Union Pier Terminal* (February 2015, Revision 0).

3.1 Daily and Quarterly QC/Validation

According to the QAP prepared for this work, results were reviewed for anomalies and validated on a daily basis. These validations are recorded on QA/QC Daily Comment Sheets. The occurrence and duration of normal calibration and maintenance activities are also recorded.

Daily QC checks were performed in accordance with section 5.1 of the QAPP. The data acquisition system (Opto 22's PAC Display) is remotely accessed from the Arcadis office located in Durham, NC, where instrumentation and trends are monitored for alarms and other irregularities. NOx and SO2 zero and calibration information is displayed by the system from the most recent calibration event and are recorded in the QC Log Book. After checking for irregularities, the data file from the previous day is sent via email to the Durham, NC office. The file is saved to a common folder on the Durham office's server and then post processed with a Microsoft Excel macro. The resulting Excel file provides values for daily averages and maxima, and also alarm and calibration information. This summary information is recorded on the daily QC log sheet. Comments and observations regarding data quality are noted on the QC log sheet, and are also entered into the SCPA QA/QC Daily Comment Sheet. The Arcadis project manager is notified of any issues immediately.

Percent completeness for Quarter 1 was calculated by dividing both the number of hours flagged by the macro as "Insufficient Data" as well as hours for which no data was obtained by the total number of hours in the quarter. Each of the three instruments (5014i, 42i, and 43i) typically produces 24 hours of data each day, for a total of 72 hours per day of recorded data.

The data for this quarter were assessed as follows:

- 100% of the validated data were flagged as "good".
- Percent completeness was 90.05%.

The QAP stated a completeness goal of 75% for $PM_{2.5}$, SO_2 and NO_X. The data collected from January 1, 2017 through March 31, 2017 met this goal.

Arcadis U.S., Inc.

4915 Prospectus Drive

Suite F

Durham, North Carolina 27713

Tel 919 544 4535

Fax 919 544 5690

www.arcadis.com