

SOUTH CAROLINA PORTS AUTHORITY



Continuous Air Monitoring Station for the Union Pier Terminal

Q2 2017 Quarterly Report

July 2017

SOUTH CAROLINA PORTS AUTHORITY CONTINUOUS AIR MONITORING STATION FOR THE UNION PIER TERMINAL

Q2 2017 Quarterly Report

Prepared for:

South Carolina Ports Authority 176 Concord Street

Charleston

South Carolina 29401

Prepared by:

Arcadis U.S., Inc.

4915 Prospectus Drive

Suite F

Durham

North Carolina 27713

Tel 919 544 4535

Fax 919 544 5690

Our Ref.: RN006310

Date: July 2017

This document is intended only for the use of the individual or entity for which it was prepared and may contain information that is privileged, confidential and exempt from disclosure under applicable law. Any dissemination, distribution or copying of this document is strictly prohibited.

CONTENTS

1	Executive S	Summary	. 1
2	Project Des	cription	.2
	2.1 Quarte	erly Results	.2
3	Quality Ass	urance/Quality Control	.8
	3.1 Daily a	and Quarterly QC/Validation	.8
TA	BLES		
Tab	le 2-1.	24-Hour Averages and Daily Maximums	.2
Tab	le 2-2.	Quarterly Statistics	.5
Tab	le 2-3.	National Ambient Air Quality Standards	.6
Tab	le 2-4.	Monthly Statistics	.7
FIG	GURES		
Figu	ıre 2-1.	24-hour Averages	.6
Figu	ıre 2-2.	Max 1-hour Averages	.7

1 EXECUTIVE SUMMARY

Arcadis was contracted in late October 2014 to provide Continuous Air Monitoring Services to the South Carolina State Ports Authority (SCSPA) at the Union Pier Terminal in Charleston, SC. Arcadis has followed through on the planned schedule and activities since that award. The major accomplishments were to complete the Quality Assurance Project Plan (QAPP), purchase the instruments, complete the site setup, and then to begin acquiring data. Installation was completed in mid-February 2015 and data acquisition began on February 25. This report is the 10th quarterly data report (second quarterly report in year three of operations) and presents the data summaries requested by SCSPA and described in the work scope. This report encompasses a period corresponding to data taken during the period from April 1, 2017 through June 30, 2017.

Arcadis.com ES-1

2 PROJECT DESCRIPTION

SCSPA requested a system to provide ambient air quality data including particulate matter less than 2.5 microns (PM2.5), SO2, and NO2 for a period of 2 years (to be decommissioned no later than February 15, 2017) at the Union Pier Terminal of the port of Charleston. Arcadis will maintain the monitoring instruments, stock consumables such as filters and calibration gases, and order spare parts such that downtime will be minimized. Arcadis has established standard operating procedures to perform daily downloads and to provide Level 1 data validation for the resulting data. This monitoring project setup was relatively straightforward, has proven to be reliable, and is generating valid high quality data suitable for use in dispersion modeling or other potential purposes.

The QAPP may be updated periodically to reflect improvements to the basic operating procedures or to document changes in the air quality standards. This QAPP is written consistent with the current ambient air quality standards for PM, NOX and SO2 as defined by the U.S. Environmental Protection Agency.

2.1 Quarterly Results

The 24-hr daily averages for PM_{2.5}, NO, NO₂, NO_x, and SO₂ and the maximum daily values for NO₂ (1-hr average) and SO₂ (1-hr and 3-hr average) for this period are shown in Table 2-1. Quarterly statistics showing averages, minimums and maximums for all parameters are summarized in Table 2-2, with the corresponding NAAQS limits shown in Table 2-3. 24-hr averages for all constituents are also shown graphically in Figure 2-1. Maximum 1-hr averages for NO₂ and SO₂ are shown in Figure 2-2. Statistics are broken down by months and summarized in Table 2-4.

Table 2-1.	24-Hour Aver	ages and Dail	v Maximums
------------	--------------	---------------	------------

		Daily Max 1-hr Avg.		Daily Max 3-hr Avg.				
Date	PM _{2.5} (μg/m ³)	NO (ppb)	NO ₂ (ppb)	NO _X (ppb)	SO ₂ (ppb)	NO ₂ (ppb)	SO ₂ (ppb)	SO ₂ (ppb)
4/1/17	۸	0.55	4.49	5.03	0.54	9.30	3.83	1.68
4/2/17	^	0.43	2.87	3.27	0.25	11.01	0.38	0.33
4/3/17	۸	0.92	3.03	3.87	0.20	8.11	0.27	0.25
4/4/17	7.17	0.97	3.33	4.23	0.27	7.19	0.48	0.37
4/5/17	9.86	1.43	3.78	4.99	0.24	7.67	0.30	0.28
4/6/17	6.19	0.86	2.74	3.51	0.24	5.09	0.35	0.28
4/7/17	5.37	1.20	3.94	5.06	0.29	8.82	0.39	0.32
4/8/17	6.11	1.14	4.44	5.55	0.49	8.75	1.66	1.16
4/9/17	6.59	0.93	6.58	7.50	0.41	16.91	0.66	0.62
4/10/17	6.06	7.92	10.56	18.46	0.78	37.68	5.02	2.24
4/11/17	6.17	2.79	7.03	9.81	0.39	24.02	0.94	0.86
4/12/17	6.29	3.47	7.36	10.82	0.32	17.74	0.59	0.50
4/13/17	6.63	5.43	7.92	13.35	0.68	21.10	3.94	2.52

		24-hour A	Averages			Daily 1-hr		Daily Max 3-hr Avg.
Date	PM _{2.5} (μg/m ³)	NO (ppb)	NO ₂ (ppb)	NO _X (ppb)	SO ₂ (ppb)	NO ₂ (ppb)	SO ₂ (ppb)	SO ₂ (ppb)
4/14/17	6.91	0.54	4.04	4.57	0.28	13.19	0.39	0.32
4/15/17	9.50	30.02	14.38	44.23	0.87	56.07	4.04	2.73
4/16/17	9.27	0.19	2.09	2.28	0.28	3.13	0.35	0.35
4/17/17	8.37	0.47	2.58	3.03	0.38	7.20	0.68	0.65
4/18/17	7.31	0.54	2.69	3.22	0.34	13.74	0.54	0.49
4/19/17	7.76	0.64	3.87	4.50	0.30	11.71	0.43	0.37
4/20/17	7.74	4.64	6.65	11.17	0.38	18.15	0.88	0.68
4/21/17	6.12	0.91	2.32	3.04	0.40	6.51	0.82	0.77
4/22/17	7.89	0.18	1.37	1.51	0.31	2.54	0.59	0.55
4/23/17	9.49	5.72	3.52	8.99	0.30	11.87	0.46	0.40
4/24/17	8.09	1.67	3.59	5.12	0.26	8.84	0.39	0.35
4/25/17	4.09	1.32	3.76	4.96	0.24	7.66	0.30	0.27
4/26/17	8.60	0.71	3.56	4.18	0.34	8.95	0.56	0.52
4/27/17	9.09	0.73	2.39	3.00	0.29	5.85	0.37	0.35
4/28/17	13.88	0.57	2.10	2.66	0.26	4.26	0.35	0.30
4/29/17	8.06	0.98	1.81	2.74	0.13	3.51	0.25	0.14
4/30/17	7.49	0.15	0.76	0.89	0.10	1.34	0.16	0.14
5/1/17	7.39	0.46	0.96	1.34	0.11	1.93	0.14	0.12
5/2/17	7.07	0.88	4.97	5.82	0.14	11.95	0.19	0.17
5/3/17	8.10	0.82	5.75	6.56	0.45	15.45	2.79	1.74
5/4/17	7.30	21.53	11.84	33.07	0.50	45.14	2.08	1.25
5/5/17	6.49	0.63	2.36	2.97	0.17	3.61	0.30	0.28
5/6/17	5.07	0.58	2.97	3.53	0.18	6.26	0.22	0.20
5/7/17	5.79	0.35	3.59	3.92	0.25	10.17	0.44	0.36
5/8/17	9.30	1.63	8.04	9.61	0.49	20.92	1.61	1.16
5/9/17	13.11	0.98	6.05	7.03	0.39	16.72	0.82	0.53
5/10/17	13.85	0.52	4.21	4.73	0.62	10.86	3.07	1.75
5/11/17	16.82	0.75	5.27	5.98	0.32	7.28	0.52	0.47
5/12/17	17.15	0.33	3.23	3.35	0.98	8.45	2.22	1.77
5/13/17	16.94	0.07	0.84	0.50	1.34	1.03	1.37	0.00
5/14/17	*	*	*	*	*	*	*	*
5/15/17	*	*	*	*	*	*	*	*
5/16/17	*	*	*	*	*	*	*	*
5/17/17	8.61	0.32	2.27	2.53	0.40	3.24	0.49	0.45
5/18/17	7.86	1.14	2.62	3.64	0.38	6.81	0.45	0.43
5/19/17	5.89	0.66	2.75	3.39	0.36	17.04	0.47	0.44

		24-hour A	verages			Daily 1-hr		Daily Max 3-hr Avg.
Date	PM _{2.5} (μg/m ³)	NO (ppb)	NO ₂ (ppb)	NO _X (ppb)	SO ₂ (ppb)	NO ₂ (ppb)	SO ₂ (ppb)	SO ₂ (ppb)
5/20/17	14.23	0.54	1.77	2.22	0.38	5.83	0.50	0.46
5/21/17	10.10	0.14	1.00	1.07	0.36	1.66	0.41	0.39
5/22/17	6.70	1.34	2.12	3.27	0.37	4.54	0.42	0.41
5/23/17	6.26	0.85	3.24	4.04	0.35	6.11	0.42	0.39
5/24/17	7.56	0.57	1.77	2.31	0.33	3.55	0.39	0.38
5/25/17	6.52	2.77	3.87	6.27	0.38	7.75	0.47	0.43
5/26/17	6.45	1.11	4.42	5.34	0.47	7.75	0.65	0.56
5/27/17	10.90	1.11	3.90	4.89	0.59	8.07	1.01	0.86
5/28/17	12.64	0.28	2.24	2.47	0.47	4.05	0.61	0.59
5/29/17	11.55	2.51	3.45	5.70	0.55	8.85	0.84	0.72
5/30/17	10.70	0.61	2.97	3.50	0.52	7.08	0.91	0.68
5/31/17	11.54	0.49	2.68	3.10	0.56	6.72	0.85	0.77
6/1/17	13.44	2.24	4.11	6.14	0.62	14.07	1.51	1.05
6/2/17	11.50	1.01	4.03	5.01	0.51	9.01	0.87	0.65
6/3/17	12.73	2.22	3.98	6.18	1.04	11.09	5.78	3.63
6/4/17	6.91	0.29	0.82	1.11	0.45	1.55	0.52	0.47
6/5/17	6.46	1.36	2.19	3.45	0.50	5.02	0.82	0.76
6/6/17	5.68	1.12	2.24	3.26	0.43	5.21	0.53	0.50
6/7/17	7.59	0.92	4.76	5.69	0.41	9.92	0.46	0.44
6/8/17	6.46	1.34	3.81	5.14	0.47	7.04	0.69	0.62
6/9/17	6.23	0.78	3.09	3.87	0.53	10.78	0.68	0.66
6/10/17	4.28	14.65	8.10	22.15	0.74	28.52	1.88	1.68
6/11/17	3.87	0.19	1.45	1.58	0.50	7.72	0.57	0.54
6/12/17	4.91	0.26	1.95	2.13	0.54	7.77	0.66	0.59
6/13/17	2.70	12.19	3.12	14.62	0.53	9.97	0.75	0.75
6/14/17	6.10	0.38	2.27	1.47	0.70	4.03	0.88	0.85
6/15/17	6.13	1.87	2.57	4.03	0.73	5.82	0.92	0.88
6/16/17	6.10	0.48	1.89	2.22	0.72	5.34	0.87	0.83
6/17/17	6.84	0.17	1.84	1.96	0.66	2.83	0.75	0.71
6/18/17	6.23	0.18	1.41	1.58	0.68	2.78	0.84	0.76
6/19/17	9.78	1.32	1.89	3.03	0.70	5.29	0.82	0.79
6/20/17	7.57	0.92	3.54	4.40	0.74	7.77	0.98	0.89
6/21/17	5.77	2.22	2.82	5.00	0.70	7.64	0.81	0.76
6/22/17	10.59	0.41	1.50	1.85	0.67	2.32	0.76	0.72
6/23/17	7.44	0.60	1.55	2.10	0.68	2.93	0.74	0.71
6/24/17	*	*	*	*	*	*	*	*

		Daily Max 1-hr Avg.		Daily Max 3-hr Avg.				
Date	PM _{2.5} (μg/m ³)	NO (ppb)	NO ₂ (ppb)	NO _X (ppb)	SO ₂ (ppb)	NO ₂ (ppb)	SO ₂ (ppb)	SO ₂ (ppb)
6/25/17	*	*	*	*	*	*	*	*
6/26/17	9.66	0.46	2.70	3.07	0.00	5.28	0.00	0.00
6/27/17	12.15	2.79	6.86	9.60	1.08	26.39	1.67	1.45
6/28/17	10.66	0.35	3.96	4.28	0.87	12.64	1.00	0.94
6/29/17	7.28	3.33	3.32	6.58	0.82	15.89	1.18	1.05
6/30/17	3.75	0.45	1.78	2.21	0.76	4.99	0.84	0.81

[^] Data not obtained due to depleted filter roll

Table 2-2. Quarterly Statistics

		_	/ Max Avg.	Daily Max 3- hr Avg.				
Date	PM _{2.5} (μg/m³)	NO (ppb)	NO ₂ (ppb)	NO _X (ppb)	SO ₂ (ppb)	NO ₂ (ppb)	SO ₂ (ppb)	SO ₂ (ppb)
Average	8.27	2.05	3.65	5.60	0.47	10.07	0.97	0.73
Minimum	2.70	0.07	0.76	0.50	0.00	1.03	0.00	0.00
Maximum	17.15	30.02	14.38	44.23	1.34	56.07	5.78	3.63

^{*} Data not obtained due to datalogger failure

Table 2-3. National Ambient Air Quality Standards

Pollutant	Pollutant Primary/ Secondary		Level	Form
	Primary	1-hour	100 ppb	98th Percentile, averaged over 3 years
NO2	Primary and Secondary	Annual	53 ppb (1)	Annual Mean
SO2	Primary	1-hour	75 ppb (2)	99th Percentile of 1-hour daily maximum concentrations, averaged over 3 years
	Secondary	3-hour	0.5 ppm	Not to be exceeded more than once per year
	Primary	Annual	12 μg/m3	Annual mean, averaged over 3 years
PM2.5	Secondary	Annual	15 μg/m3	Annual mean, averaged over 3 years
F IVI2.5	Primary and Secondary	24-hour	35 μg/m3	98th Percentile, averaged over 3 years

- (1) The official level of the annual NO2 standard is 0.053 ppm, equal to 53 ppb, shown here for the purpose of clearer comparison to the 1-hour standard.
- (2) Final rule signed June 2, 2010. The 1971 annual and 24-hour SO2 standards were revoked in that same rulemaking. However, these standards remain in effect until one year after an area is designated for the 2010 standard, except in areas designated nonattainment for the 1971 standards, where the 1971 standards remain in effect until implementation plans to attain or maintain the 2010 standard are approved.




Figure 2-1. 24-hour Averages




Figure 2-2. Max 1-hour Averages

Table 2-4. Monthly Statistics

	М	Monthly Daily Max 1-hr Avg.		Daily Max 3- hr Avg.				
Month	PM _{2.5} (μg/m³)	NO (ppb)	NO ₂ (ppb)	NO _X (ppb)	SO ₂ (ppb)	NO ₂ (ppb)	SO ₂ (ppb)	SO ₂ (ppb)
4/17	7.63	2.60	4.32	6.85	0.35	12.26	1.01	0.69
5/17	9.71	1.57	3.61	5.08	0.44	9.24	0.88	0.63
6/17	7.46	1.95	2.98	4.77	0.63	8.56	1.03	0.88

3 QUALITY ASSURANCE/QUALITY CONTROL

QA/QC procedures applied to this project are described in a QAPP titled South Carolina State Ports Authority_Continuous Air Monitoring Station for the Union Pier Terminal (February 2015, Revision 0).

3.1 Daily and Quarterly QC/Validation

According to the QAPP prepared for this work, results were reviewed for anomalies, validated on a daily basis, and recorded on QA/QC Daily Comment Sheets for quarterly data review and assessments. The occurrence and duration of normal calibration and maintenance activities was also recorded.

Daily QC checks were performed in accordance with section 5.1 of the QAPP. The data acquisition system (Opto 22's PAC Display) was remotely accessed from the ARCADIS office located in Durham, NC, where instrumentation and trends were monitored for alarms and other irregularities. NOx and SO2 zero and calibration values displayed by the system from the previous calibration event were recorded in the QC Log Book. After checking for irregularities, the data file from the previous day was sent via email to the Durham, NC office. The file was saved to a common folder on the Durham office's server and then post processed with a Microsoft Excel macro. The resulting Excel file provides values for daily averages and maxima, and also alarm and calibration information. This information was recorded on the daily QC log sheet. Comments and observations regarding data quality were noted on the QC log sheet, and were also entered into the SCSPA QA/QC Daily Comment Sheet. The Project Manager was notified of any issues immediately.

Percent completeness for Quarter 2 was calculated by dividing both the number of hours flagged by the macro as "Insufficient Data" as well as hours for which no data was obtained by the total number of hours in the quarter. Each of the three instruments (5014i, 42i, and 43i) typically records 24 hours of data each day, for a total of 72 hours of data per day. Problems with the data acquisition system, normal calibration periods for the NOx and SO2 instruments and normal maintenance of the instruments result in instances of incomplete or invalid data.

The quarterly data was assessed as follows:

- 100% of the validated Quarter 2 data was flagged as "good".
- Percent completeness for Quarter 2 was 90.11%.



Arcadis U.S., Inc.

4915 Prospectus Drive

Suite F

Durham, North Carolina 27713

Tel 919 544 4535

Fax 919 544 5690